

Department of Public Works
Engineering Division

December 9, 2022

CITY OF BERKELEY
SANITARY SEWER REHABILITATION PROJECT
PARNASSUS ROAD, ET AL.

SPECIFICATION NO. 23-11548-C
ADDENDUM NO. 3

Dear Bidder:


The City of Berkeley has revisions for Specification No. 23-11548-C, Sanitary Sewer Rehabilitation Project – Parnassus Road, et al.:
The following item(s) in the Contract Specifications have revisions:

Item No. 1 – Bidders Proposal, page A11.

Bid Item No. 33, “Remove, Recompact and Repave Existing Asphalt Pavement...”
Description revised to read “Remove, recompact and repave existing asphalt pavement. Match existing or 4" AC over 8" AB with 95% compacted subgrade, whichever is greater for Sheet 27, Ajax Pl.”

Replace A11 with version included as Attachment 1 of Addendum.

All other provisions of the contract documents shall remain the same. **Bidders shall submit a signed copy of Addendum No. 3 along with their Bidder’s Proposal. Failure to do so may result in bid rejection.**

Sincerely,

Daniel M. Akagi, P.E., Supervising Civil Engineer

BIDDER’S ACKNOWLEDGEMENT:

Name of Company: _____
Address, City, State, Zip: _____
Signature: _____ Title: _____
Print Name: _____ Date: _____

Attachments: Attachment 1, Bidders Proposal Page A11

BIDDER'S PROPOSAL
(continued)

ITEM NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT COST	TOTAL COST
25.	Caltrans Permit - Additional provisions and insurance requirements	Not Used	LS	\$ ---	\$ ---
26.	EBRPD Permit - Additional provisions and insurance requirements.	Not Used	LS	\$ ---	\$ ---
27.	Stormwater Pollution Control and Sewage Spill Prevention and Response Requirements	1	LS	\$	\$
28.	Sewer Bypass (for Sewer Mains 27" and Larger)	Not Used	LS	\$ ---	\$ ---
29.	Investigate existing sewer mains, structures, and laterals.	1	LS	\$	\$
30.	California Dept of Fish and Wildlife, Creek Permit - Additional Requirements For Work Adjacent to City's Creek	1	LS	\$ ---	\$ ---
31.	Point (Spot) Repair	18	EA		
32.	Plug and abandon existing sewer mains, sewer structure and laterals	1	LS	\$	\$
33.	Remove, recompact and repave existing asphalt pavement. Match existing or 4" AC over 8" AB with 95% compacted subgrade, whichever is greater for Sheet 27, Ajax PI	5,000	SF	\$	\$
34.	Concrete encasement of 6-inch or greater pipe	20	LF	\$	\$
TOTAL COST				\$	

TOTAL BID PRICE IN WORDS AND IN FIGURES: _____

DOLLARS AND _____ **CENTS/(\$** _____ **)**